HyFlex® 11-840

MECHANICAL PROTECTION





STYLE #	CONSTRUC- TION	GAUGE	LINER Material	COATING Material	FINISHING	CUFF STYLE	COLOUR	EN SIZE	LENGTH MM	PACKAGING
11-840	Knitted	15	Spandex Nylon	Foam nitrile	Palm coated	Knitwrist	Black and grey	6, 7, 8, 9, 10, 11	200-270	12 pairs in a bag, 12 bags in a carton



Extreme durability and superior fit for precision

PRIMARY INDUSTRIES







IDEAL APPLICATIONS

Assembly of small & medium parts
Feeding the lines

handling in abrasive applications

- General handling
- Raw materials reception
- Screwing & unscrewing

DESCRIPTION

- The tough 1.1 mm FORTIX® nitrile foam coating (patent pending) offers EN Abrasion Level 4 protection, with up to three times the abrasion performance of other lightweight, knit-dipped gloves.
- The FORTIX® coating is 20% more breathable than earlier formulations, for cooler, drier hands and less sweat.
- Matching the natural contours of the hand, the snug, second-skin liner is tailored to create a more comfortable wearing experience: at the base of the little finger (added comfort), across the fingertips (superior tactility), and through the palm (greater dexterity).
- With its balance of robust abrasion performance, enhanced comfort and high dexterity the HyFlex® 11-840 is an ideal solution for workers who move between tasks.
- Silicone-free material means no transfer of silicone contaminants to metal parts prior to painting.

REMARKS

• Fit for special purpose

FEATURED TECHNOLOGY

Fortix®





CATEGORY II

Print date: 15-03-2015



Riverside Business Park, Block J Boulevard International 55, 1070 Brussels, Belgium Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03 http://www.ansell.eu • E-mail info@ansell.eu

