

Client area (<http://www.robusta.es/gestor-multilang>)



(<http://www.robusta.es/>)



(<http://www.robusta.es/en/>)



(<http://www.robusta.es/en/>)



- Home (<http://www.robusta.es/en/>)
- CATALOGO
 - INDUSTRIAL
- INNOVACION
 - BIOMECANICA
- ROBUSTA
 - CALIDAD
- Contacto (<http://www.robusta.es/en/contact/>)

Home (<http://www.robusta.es/en/>) > Industry (<http://www.robusta.es/en/categoria-producto/industria-en/>) > Special risks (<http://www.robusta.es/en/categoria-producto/industria-en/special-risk/>) > Dielectric (<http://www.robusta.es/en/categoria-producto/industria-en/special-risk/dielectric/>) > FORMIO DIELECTRIC (SB+P+E+CI+HI+WRU+HRO+FO+SRC)



(http://www.robusta.es/wp-content/uploads/2016/10/FORMIO-DIELECTRICO-16_1000x1000-600x600.jpg)

FORMIO DIELECTRIC (SB+P+E+CI+HI+WRU+HR)

EN ISO 20345 | 35-48EU / 2-13UK

Maximum internal height: 122 mm

Leather: Grain cowhide.

Sole: PU + Dielectric Nitrile Rubber

Toecap: Non-metallic 200 J

Available: Textile puncture-resistant insole 1100 N

 [Compare \(/En/Product/Bota-Modelo-Formio-](/En/Product/Bota-Modelo-Formio-)

CATEGORIES: Dielectric

(<http://www.robusta.es/en/categoria-producto/industria-en/special-risk/dielectric/>), Industry

(<http://www.robusta.es/en/categoria-producto/industria-en/>), Special risks

(<http://www.robusta.es/en/categoria-producto/industria-en/special-risk/>)

DESCRIPTION

ADDITIONAL INFORMATION

FORMIO DIELECTRIC model (SB+P+E+CI+HI+WRU+HRO+FO+SRC). Ankle boot made of grain cowhide. Soles of polyurethane and dielectric nitrile rubber, providing high resistance to electrical currents and resistance to abrasion and contact heat. Biomechanical design, based on the qualities of professional athletics footwear, thereby providing superb comfort coupled with safety. It includes a non-metallic toecap and a puncture-resistant textile insole

A comfortable, lightweight boot with a padded collar, ideal for work athletes carrying out electrical work.

18 kV ESR to ANSI Z41 and ASTM F2413-05

EN ISO 20345 | 35-48EU / 2-13UK

Maximum internal height: 122 mm

Leather: Grain cowhide.

Sole: PU + Dielectric Nitrile Rubber

Toecap: Non-metallic 200 J

Available: Textile puncture-resistant insole 1100 N



DESIGNED FOR OUR WORKING ATHLETES

+34 941 385 411 (941 385 411)

Facebook (<https://www.facebook.com/RobustaCalzados>)

Twitter (<https://twitter.com/calzadosrobusta>)

Linkedin (<https://www.linkedin.com/company/calzados-robusta>)

INFORMATION

Contact Robusta® (<http://www.robusta.es/en/contact/>)

Legal Notice (<http://www.robusta.es/wp-content/uploads/2018/11/aviso-legal-en.pdf>)

Cookie policy (<http://www.robusta.es/wp-content/uploads/2018/11/cookies-policy.pdf>)

PARTNERS ROBUSTA® (<http://www.robusta.es/en/contact/>)

CONTACT US (<http://www.robusta.es/en/contact/>)

LEGAL NOTICE, COOKIES POLICY (<http://www.robusta.es/wp-content/uploads/2018/11/aviso-legal-en.pdf>)

COOKIES (<http://www.robusta.es/wp-content/uploads/2018/11/cookies-policy.pdf>)

 (<http://www.robusta.es/producto/bota-modelo-formio-diel%c2%83trico/>)

 (<http://www.robusta.es/en/product/bota-modelo-formio-diel%c2%83trico/>)